INDEX

Page

Acclimatization Field Station, weather data, 1931–33 436–437
Acetone, effect on curly top virus, experiments 230–232
Ackert, J. E.; Eisenbrandt, L. L.; Wilmoth, J. H.; Glading, B.; and Pratt, I.: Comparative Resistance of Five Breeds of Chickens to the Nematode *Ascaridia lineata* (Schneider) 607–624
Agglutinins, appearance in blood of pigs infected with *Erysipelothrix rhusiopathiae* 71–74
Alcohol, effect on curly top virus, experiments 230–232
Aldrich, W. W.; Work, R. A.; and Lewis, M. R.: Pear Root Concentration in Relation to Soil-Moisture Extraction in Heavy Clay Soil 975–988
Alfalfa—
  cutting practices, effect on trend of organic food reserves in roots. C. O. Grandfield 697–709
  hay, constituents, microbiological decomposition. Max Phillips, M. J. Goss, E. A. Beavens, and L. H. James 761–775
  roots, organic food reserves in, trend as affected by cutting practices. C. O. Grandfield 697–709
Alternaria sp., cultural characteristics 805–806
Alysia—
  fossulata, distribution and habits 481, 484
  ridibunda, distribution, habits, and hosts 481–484
Anderson, M. E., and Walker, J. C.: Histological Studies of Wisconsin Hollander and Wisconsin Ballhead Cabbage in Relation to Resistance to Yellows 823–836
Andrus, C. F.; Harter, L. L.; and Zaumeyer, W. J.: Studies on Bean Rust Caused by *Uromyces phaseoli typica* 737–759
Aphaereta muscae, parasitism on blowfly pupae, and range 481, 491
Apricot trees, boron injury, histological study 189–193
Archibald, J. G., and Bennett, E.: Yield and Chemical Composition of Certain Species of Grass 711–715
Armstrong, M. R.; Macleod, F. L.; Heap, M. E.; and Tolbert, L. A.: The Vitamin A Content of Five Varieties of Sweetpotato 181–187
Arnold, P. T. Dix; Becker, R. B.; Neal, W. M.; and Shealy, A. L.: A Study of the Palatability and Possible Toxicity of 11 Species of *Crotalaria*, Especially of *C. spectabilis* Roth 911–922
Ascaridia lineata—
  hosts, discussion 619–621
  resistance of five breeds of chickens to. J. E. Ackert, L. L. Eisenbrandt, J. H. Wilmoth, B. Glading, and I. Pratt 607–624

Page

Autosyndesis, coefficient of, in progeny of maize-teosinte hybrid, studies 129–131

Bacteria, pathogenic, inducing cell stimulation in plants, physiological studies. J. A. Pinckard 933–952
Baker, G. O., and Vandecaveye, S. C.: Effect of Fertilizers, Soil Type, and Certain Climatic Factors on the Yield and Composition of Oats and Vetch 961–974
Bartholomew, E. T.; Sinclair, W. B.; and Nedvidek, R. D.: The Isolation and Distribution of Nitrogen in Dilute Alkali-Soluble Proteins of Healthy Valencia and Washington Navel Orange Fruits 173–180
Bartholomew, R. P.; Jacob, K. D.; Brown, B. E.; Pierre, W. H.; Reid, F. R.; and Tidmore, J. W.: Nutrient Value of the Phosphorus in Calcined Phosphate as Determined by Growth of Plants in Greenhouse Experiments 837–848
Bean beetle, Mexican—
  distribution in Mexico 990–993
  in Mexico. B. J. Landis and C. C. Plummer 989–1001
  life history 996–999
  seasonal activity in Mexico 993–994, 999–1000
Bean rust—
  caused by *Uromyces phaseoli typica*, studies. L. L. Harter, C. F. Andrus, and W. J. Zaumeyer 737–759
  control, experiments 755–757
  infection—
    environmental factors affecting 742–745
    time requirement 746–747
  occurrence and epidemics, relation to weather conditions 748–750
  physiologic forms 752–755
  spore forms, studies 738–742
Beans, varietal susceptibility and resistance to rust 750–752
Beaumont, A. B., and Snell, M. E.: The Effect of Magnesium Deficiency on Crop Plants 553–562
Beavens, E. A.; Phillips, Max; Goss, M. J.; and James, L. H.: The Microbiological Decomposition of the Constituents of Alfalfa Hay 761–775
Becker, R. B.; Neal, W. M.; Arnold, P. T. Dix; and Shealy, A. L.: A Study of the Palatability and Possible Toxicity of 11 Species of *Crotalaria*, Especially of *C. spectabilis* Roth 911–922
Beet pulp—
  analysis, methods 167
  constituents, effects of fermentation on 170–171
  fermentation—
    bacteriological studies 166–167
    efficiency of neutralizing agents 169–170
    influence of hydrogen-ion concentration levels 168–169

Beet pulp—Continued. Page
fermentation—Continued.
oxygen requirements 167–168
thermophilic fermentation of, O. L. Osburn, J. Stritar, and C. H. Werkman 165–17.
Beggarweed, decomposition rate in Norfolk sand, experiments 717–729
BELL, CHARLES E.: Rate of Decomposition of Organic Matter in Norfolk Sand as Measured by the Formation of Carbon Dioxide and Nitrates 717–730
BENNETT, C. W.: Studies on Properties of the Curly Top Virus 211–241
BENNETT, E., and ARCHIBALD, J. G.: Yield and Chemical Composition of Certain Species of Grass 711–715
Bentgrass, Rhode Island, yield and chemical composition 712–715
BLACK, ALEX; BRAMAN, WINFRED W.; KAHLENBERG, O. J.; VORIS, LEROY; SWIFT, R. W.; and FORBES, E. B.: The Utilization of Energy-Producing Nutriment and Protein in White and Yellow Corn and in Diets Deficient in Vitamins A, D, and G 1–37
BLISS, C. I.; CRESSMAN, A. W.—and BROADBENT, B. M.: Productivity of the Camphor Scale and the Biology of Its Egg and Crawler Stages 243–266
KESSELS, L. T., and DUMESTRE, J. O.: Biology of the Camphor Scale and a Method for Predicting the Time of Appearance of Stages in the Field 267–283
Blowflies—
development in carrion, factors affecting 479–480
parasites of, in North America, R. A. Roberts 479–494
Bluegrass species, yield and chemical composition 712–715
Boron—
injury to leaves and twigs, symptoms 189
toxic concentration, plants grown in, histological characteristics, Irma E. Webber 189–194
BOURNE, B. A.: A Comparative Study of Certain Morphological Characters of Sugarcane × Sorgo Hybrids 539–552
Brachymeria—
compsilurae—
comparison with *Brachymeria intermedia* 520–521
distribution, hosts, and economic importance 509–511
effectiveness as a parasite 520
immature stages, development 519–520
life history 512–516
seasonal history and habits 517–519
(Cwfd), secondary parasite of gypsy moth, Phillip B. Dowden 495–523
fonscolombei, distribution, habits, and hosts 489–490
intermedia—
comparison with *Brachymeria compsilurae* 520–521
distribution, hosts, and economic importance 497–499
effectiveness as a parasite 508–509
immature stages, development 508
life history 499–505
(Nees), primary parasite of gypsy moth, Phillip B. Dowden 495–523
seasonal history and habits 505–508
BRAMAN, WINFRED W.; BLACK, ALEX; KAHLENBERG, O. J.; VORIS, LEROY; SWIFT, R. W.; and FORBES, E. B.: The Utilization of Energy-Producing Nutriment and Protein in White and Yellow Corn and in Diets Deficient in Vitamins A, D, and G 1–37
BREWBAKER, H. E., and DEMING, G. W.: Effect of Variations in Stand on Yield and Quality of Sugar Beets Grown under Irrigation 195–210
BROADBENT, B. M.; BLISS, C. I.; and CRESSMAN, A. W.: Productivity of the Camphor Scale and the Biology of Its Egg and Crawler Stages 243–266
Broccoli, absorption of selenium from soils, factors affecting 415
BROWN, B. E.; JACOB, K. D.; BARTHOLOMEW, R. P.; PIERRE, W. H.; REID, F. R.; and TIDMORE, J. W.: Nutrient Value of the Phosphorus in Calcined Phosphate as Determined by Growth of Plants in Greenhouse Experiments 837–848
Buckwheat, chlorosis caused by magnesium deficiency, study 554, 555, 557, 558, 561
Cabbage—
growth, relation to nutrient value of phosphorus on, greenhouse experiments 841–846
root, anatomical studies 825, 829–834
roots, infection with yellows organism, study 825–829
varieties, comparison of susceptibility to yellows infection 825–829
Wisconsin—
Ballhead, histological studies in relation to resistance to yellows, M. E. Anderson and J. C. Walker 823–836
Hollander, histological studies in relation to resistance to yellows, M. E. Anderson and J. C. Walker 823–836
yellows, resistance of Wisconsin Hollander and Wisconsin Ballhead varieties, histological studies, M. E. Anderson and J. C. Walker 823–836
Cadophora—
brunnescens, n. sp., description 803
repens, n. sp., description 803–804
Calculator, electric, use in obtaining multiple correlations, method 59–69
CALDWELL, JOSEPH S.; CULPEPPER, CHARLES W.; and MOON, HUBERT, H.: A Physiological Study of Development and Ripening in the Strawberry 645–696
Calves—
vesicular follicles, development in 953–959
ovarian development, L. E. Casida, A. B. Chapman, and I. W. Rupel 953–960
Camphor scale—
biological studies 243–283
biology, and method for predicting time of appearance of stages in the field, A. W. Cressman, C. I. Bliss, L. T. Kessels, and J. O. Dumestre 267–283
crawler, emergence and settling, study 252–265
development rate, study 269–273
egg stage, biology 248–252
mortality 273, 281–282
productivity, and biology of egg and crawler stages, C. I. Bliss, A. W. Cressman, and B. M. Broadbent 243–266

Camphor scale—Continued. Page
seasonal history 276–278
settling place, factors affecting 273–274
stages, time of appearance, prediction 274–281
Carbon dioxide—
evolution in Norfolk sand, effect of soil treatments 721–723
formation, effect on rate of decomposition of organic matter in Norfolk sand. Charles E. Bell 717–730
CASIDA, L. E.; CHAPMAN, A. B.; and RUPEL, I. W.: Ovarian Development in Calves 953–960
Cattle, feeding with 11 species of *Crotalaria*, experiments 912–921
Cell stimulation in plants, induced by pathogenic bacteria, physiological studies. J. A. Pinckard 933–952
Ceratostomatacene, importance as wood-staining fungi 795–802
Ceratostomella—
ips—
cultural characteristics 796–797
occurrence in pine, studies 791–792, 793
multiannulata, n. sp., description 797–798
obscura, n. sp., description 798
pilifera—
cultural characteristics 797
occurrence in pine 791–793
pini, cultural characteristics 798
pluriannulata—
cultural characteristics 798
occurrence in lumber 792–795
Chalcis. See *Brachymeria*.
CHAPMAN, A. B.; CASIDA, L. E.; and RUPEL, I. W.: Ovarian Development in Calves 953–960
Charcoal rot of sweetpotatoes, temperature, wounding, and humidity, studies 316–327
Cherry—
flower buds, winter-killing, effect on yield 469–470
Montmorency—
flower-buds—
delayed winter-killing 565–568
formation, limited, effect on productivity 458–462
injuries, types, correlations 571–572
susceptibility to injury from low temperatures. V. R. Gardner 563–572
leaf-bud production, association with barrenness 462–465
settling of fruit, effect on yield 472–477
unproductive sports, study. V. R. Gardner 457–478
Chick embryo—
mortality caused by malposition. W. Franklin Dove 923–931
positions—
at different ages, classification. W. Franklin Dove 923–931
classification code 925–926
Chickens—
age, effect on resistance to *Ascaridia lineata* 618–619, 621
feeding—
cod-liver oil of various percentages to, effect on vitamin A content of eggs. Grace M. DeVaney, Harry W. Titus, and Ralph B. Nestler 853–860
viosterol to, effect on vitamin A content of eggs. Grace M. DeVaney, Harry W. Titus, and Ralph B. Nestler 853–860

Chickens—Continued. Page
five breeds, comparative resistance to nematode *Ascaridia lineata* (Schneider). J. E. Ackert, L. L. Eisenbrandt, J. H. Wilmoth, B. Glading, and I. Pratt 607–624
Chicks, hatching failures, relation to position of embryo 929–930
Chlorosis in plants, result of magnesium deficiency, studies 553–554, 557–561
CHRISTENSEN, J. J., and JOHNSON, I. J.: Field Reaction of Varieties and Selfed Lines of Corn to Different Collections of *Ustilago zeae* 47–57
Citrus, nitrogen in, isolation and distribution of, studies 173–179
Claviceps purpurea, factor in nutritive value of rye for rats and swine. D. W. Johnson, and L. S. Palmer 39–45
Climate—
effect on yield and composition of oats and vetch. G. O. Baker and S. C. Vandecaveye 961–974
of Mexico City, relation to Mexican bean beetle infestations 994–995
Clover, white—
Dutch, yield and chemical composition 712–715
nutrients, digestibility and availability, effect of artificial drying on 150–163
Cod-liver oil, feeding to chickens, effect on vitamin A content of eggs. Grace M. DeVaney, Harry W. Titus, and Ralph B. Nestler 853–860
Cold resistance, inheritance in winter wheat, with preliminary studies on the technic of artificial freezing tests. W. W. Worzella 625–635
COLE, J. R.: *Gnomonia nerviseda*, the Perfect Stage of the Fungus that Causes the Vein Spot Disease of Pecan Foliage 91–96
COLLINS, G. N., and LONGLEY, A. E.: A Tetraploid Hybrid of Maize and Perennial Teosinte 123–133
Colorado, sugar beets, stand variations, effect on yield and quality 195–209
Compsilura concinnata, parasitization by *Brachymeria compsilurae* 517–518, 520
Corn—
absorption of selenium from soils, factors affecting 413–415
digestibility by pigs, effect of grinding, study 731–735
grinding, effect on digestibility by pigs and on its content of metabolizable energy. W. P. Garrigus and H. H. Mitchell 731–735
magnesium-deficiency studies 553–562
metabolizable energy content, effect of grinding on, study 731–735
nutritive value, comparison of white and yellow 1–36
reactions to smut, experiments 47–56
smut—
collections, field reaction of varieties and selfed lines of corn to 47–56
galls, location, number, and size per plant, study 52–54
varieties and selfed lines, field reaction to collections of *Ustilago zeae*. J. J. Christensen and I. M. Johnson 47–57

Corn—Continued. Page
white and yellow, energy-producing nutriment and protein in, utilization. Winfred W. Braman, Alex Black, O. J. Kahlenberg, LeRoy Voris, R. W. Swift, and E. B. Forbes 1–37
See also Maize.
Correlation coefficients, multiple, rapid calculation of, procedure for. G. N. Stroman 59–69
Cotton—
boll, age, effect on germination of seed, study 433–434
varieties, boll opening—
dormancy of seed during 429–432
period, seed moisture content and germination during 435–442
Cottonseed—
deterioration in—
field, study 443–446
storage, study 449–456
dormancy and maturity. D. M. Simpson 429–434
germination, effect of—
age 433–434
moisture content in different types of storage 453–456
maturity and dormancy. D. M. Simpson 429–434
moisture content and germination during boll-opening period 435–442
raw, feeding to rats, experiments 899–908
stored, deterioration, relation to moisture content and storage method. D. M. Simpson 449–456
viability, effect of field conditions. D. M. Simpson and B. M. Stone 435–447
Cowpea—
decomposition rate in Norfolk sand, experiments 717–729
rust, comparison with bean rust 741–742
CREECH, G. T., and SCHOENING, H. W.: Serological Studies of Swine Erysipelas with Particular Reference to Agglutination 71–79
CRESSMAN, A. W.; BLISS, C. I.—and BROADBENT, B. M.: Productivity of the Camphor Scale and the Biology of Its Egg and Crawler Stages 243–266
KESSELS, L. T.; and DUMESTRE, J. O.: Biology of the Camphor Scale and a Method for Predicting the Time of Appearance of Stages in the Field 267–283
Crop—
plants, effect of magnesium deficiency on. A. B. Beaumont and M. E. Snell 553–562
yields, relation to magnesium sulphate and lime content in soil, experiments 555–556
Crossbreeding, sugarcane and sorgo, experiments 541–551
Crotalaria—
decomposition rate in Norfolk sand, experiments 717–729
11 species, palatability and possible toxicity, study. R. B. Becker, W. M. Neal, P. T. Dix Arnold, and A. L. Shealy 911–922
spectabilis Roth, palatability and possible toxicity, study. R. B. Becker, W. M. Neal, P. T. Dix Arnold, and A. L. Shealy 911–922
CULPEPPER, CHARLES W.; CALDWELL, JOSEPH S.; and MOON, HUBERT H.: A Physiological Study of Development and Ripening in the Strawberry 645–696
Curly-top virus— Page
dilution and filtration tests 220–223
effect of hydrogen-ion concentration, experiments 229–230, 237
inactivation by plant juices, tests 233–236, 238
longevity, effect of desiccation on, experiments 224–226
properties, studies. C. W. Bennett 211–241
removal by precipitation and purification, experiments 217–219
resistance to aging in liquid medium, tests 223–224
Cytogenetics of tetraploid maize. L. F. Randolph 591–605

DAVIDSON, ROSS W.: Fungi Causing Stain in Logs and Lumber in the Southern States, Including Five New Species 789–807
DEMING, G. W., and BREWBAKER, H. E.: Effect of Variations in Stand on Yield and Quality of Sugar Beets Grown under Irrigation 195–210
Desmodium tortuosum, decomposition rate in Norfolk sand, experiments 717–729
DEVANEY, GRACE M.; TITUS, HARRY W.; and NESTLER, RALPH B.: Vitamin A Content of Eggs Produced by Chickens Fed Viosterol and Various Percentages of Cod-Liver Oil 853–860
Diamond-skin disease, of pigs, agglutination tests 74–75
DICKE, F. F., and PHILLIPS, W. J.: Morphology and Biology of the Wheat Jointworm Gall 359–386
Dictyostelium discoideum—
a new species of slime mold from decaying forest leaves. Kenneth P. Raper 135–147
aggregation stage, description 139–140
isolation and culture 136–137
migration stage, description 140–142
n. sp., technical description 135–136
sorocarp formation, description 142–147
vegetative stage, description 137–138
Diets deficient in vitamins A, D, and G, utilization of energy-producing nutriment and protein in. Winfred W. Braman, Alex Black, O. J. Kahlenberg, LeRoy Voris, R. W. Swift, and E. B. Forbes 1–37
Diplodia—
megalospora, cultural characteristics 803
natalensis, cultural characteristics 803
tubericola, infection of sweetpotatoes, factors affecting 306–316, 325–327
DOVE, W. FRANKLIN: Classification of Chick-Embryo Positions at Different Ages and Malposition as a Cause of Mortality 923–931
DOWDEN, PHILLIP B.: *Brachymeria intermedia* (Nees), Primary Parasite, and *B. compsilurae* (Cwfd), Secondary Parasite, of Gypsy Moth 495–523
Drying, artificial, temperature of, effect on digestibility and availability of nutrients in pasture herbage. R. E. Hodgson, J. C. Knott, R. R. Graves, and H. K. Murer 149–164
DUMESTRE, J. O.; CRESSMAN, A. W.; BLISS, C. I.; and KESSELS, L. T.: Biology of the Camphor Scale and a Method for Predicting the Time of Appearance of Stages in the Field 267–283

Egg production, correlation studies, and possible genetic interpretations. Charles W. Knox, Morley A. Jull, and Joseph P. Quinn ... Page 573–589
Eggs—
hatching date, relation to egg production ... 573, 575–577
vitamin A content, production by feeding chickens viosterol and percentages of cod-liver oil. Grace M. DeVaney, Harry W. Titus, and Ralph B. Nestler ... 853–860
Eisenbrandt, L. L.; Ackert, J. E.; Wilmoth, J. H.; Glading, B.; and Pratt, I.: Comparative Resistance of Five Breeds of Chickens to the Nematode *Ascaridia lineata* (Schneider) ... 607–624
Endoconidiophora—
adiposa, n. comb., description ... 802
coerulescens—
cultural characteristics ... 798–800
occurrence in lumber ... 792, 794–795
fimbriata, n. comb., description ... 800–801
moniliformis—
n. comb., description ... 800
occurrence in lumber ... 792–795
paradoxa, n. comb., description ... 802
Energy, metabolizable, content of ground corn, experiments with pigs ... 731–735
Eniaca texana, parasitism on blowfly larvae ... 490–491
Epilachna corrupta. *See* Bean beetle, Mexican.
Ergot, factor in nutritive value of rye for rats and swine. D. W. Johnson and L. S. Palmer ... 39–45
Erysipelas, swine—
serological studies with particular reference to agglutination. H. W. Schoening and G. T. Creech ... 71–79
urticarial form, agglutination test ... 74–75
Erysipelothrix rhusiopathiae, cultures, identification method ... 77–78
Euchlaena perennis, tetraploid hybrid of ... 123–133
Eutettix tenellus, agent in spread of curly top virus, study ... 212–213, 219–222

Fermentation, thermophilic, of beet pulp. O. L. Osborn, J. Stritar, and C. H. Werkman ... 165–172
Fertilizers, effect upon—
chlorosis in plants, studies ... 553–556
yield and composition of oats and vetch. G. O. Baker and S. C. Vandecaveye ... 961–974
Fescue, sheep, yield and chemical composition ... 712–715
Fires, grass, annual, effect on organic matter and other constituents of virgin longleaf pine soils. S. W. Greene ... 809–822
Flour beetle, vitamin D need and phosphorus content and requirements, study. J. W. Nelson and L. S. Palmer ... 849–852
Fluorine, volatilization, relation to nutrient value of calcined phosphate ... 845–846
Forage—
crops, drying, artificial, effect on nutritive value, studies ... 149–163
growth on burned and unburned areas, experiments ... 814–816
Forbes, E. B.; Braman, Winfred W.; Black, Alex; Kahlenberg, O. J.; Voris, LeRoy; and Swift, R. W.: The Utilization of Energy-Producing Nutriment and Protein in White and Yellow Corn and in Diets Deficient in Vitamins A. D. and G ... 1–37
Forest leaves, decaying, *Dictyostelium discoideum*, a new species of slime mold from. Kenneth B. Raper ... Page 135–147
Fragaria spp. *See* Strawberry.
Freezing tests, artificial, technic, studies ... 627–632
Frost, effect on—
flower buds of Montmorency cherry ... 568–571
yield of Montmorency cherry ... 470–472
Fruit trees, boron injury, histological study ... 189–193
Fungi—
blue-staining, occurrence in pine timber ... 789, 791–795
five new species causing stain in logs and lumber in Southern States. Ross W. Davidson ... 789–807
Imperfecti, importance as wood-staining fungi ... 802–806
storage rot, infection and decay of sweetpotatoes, factors affecting. J. I. Lauritzen ... 285–329
wood-staining—
cultural characteristics ... 795–806
in Southern States, studies ... 789–806
new species, association with *Scolytus ventralis*. Ernest Wright ... 525–538
Fusarium—
conglutinans, cause of cabbage yellows ... 823
end rot, of sweetpotatoes, factors affecting ... 303–306, 324–327
oxysporum, infection of sweetpotatoes, factors affecting ... 301–303, 324–327

Gall-forming bacteria, on plants, physiological studies ... 933–951
Gardner, V. R.—
A Study of Some Unproductive Sports of the Montmorency Cherry ... 457–478
The Susceptibility of Flower Buds of the Montmorency Cherry to Injury from Low Temperature ... 563–572
Garrigus, W. P., and Mitchell, H. H.: The Effect of Grinding on the Digestibility of Corn by Pigs and on Its Content of Metabolizable Energy ... 731–735
Germicides, effect on sugar beet curly top virus, experiments ... 232–233
Gersdorff, W. A.—
A New Criterion for the Comparison of Toxicity with Respect to Concentration and Time ... 881–891
The Quantitative Relationship between the Constitution and Toxicity of Some Rotenone Derivatives ... 893–898
Glading, B.; Ackert, J. E.; Eisenbrandt, L. L.; Wilmoth, J. H.; and Pratt, I.: Comparative Resistance of Five Breeds of Chickens to the Nematode *Ascaridia lineata* (Schneider) ... 607–624
Gnomonia—
caryae var. *pecanae*, n. var., comparison with *G. nervisedal nerviseda*— ... 96
n. comb.—
comparison with *G. caryae* var. *pecanae* ... 96
technical description ... 92–93
perfect stage of fungus causing vein spot disease of pecan foliage. J. R. Cole ... 91–96
Goss, M. J.; Phillips, Max; Beavens, E. A.; and James, L. H.: The Microbiological Decomposition of the Constituents of Alfalfa Hay ... 761–775

Gossypol— Page
effect upon muscle of small intestine of rat. L. A. Moore 899–909
feeding to rats, experiments 899–908
Grain yield among 1,500 wheat nursery plots, variation and correlation. Gustav A. Wiebe 331–357
GRANDFIELD, C. O.: The Trend of Organic Food Reserves in Alfalfa Roots as Affected by Cutting Practices 697–709
Grape leaves, boron injury, histological study 189–190, 192–193
Graphium rigidum—
cultural characteristics 805
occurrence in lumber 792, 794–795
Grass—
species, chemical composition and yield. J. G. Archibald and E. Bennett 711–715
winter burning, effect on soils, investigations 809–821
GRAVES, R. R.; HODGSON, R. E.; KNOTT, J. C.; and MURER, H. K.: Effect of Temperature of Artificial Drying on Digestibility and Availability of Nutrients in Pasture Herbage 149–164
GREENE, S. W.: Effect of Annual Grass Fires on Organic Matter and Other Constituents of Virgin Longleaf Pine Soils 809–822
Gypsy moth—
primary parasite of, *Brachymeria intermedia* (Nees.) Phillip B. Dowden 495–523
secondary parasite of, *Brachymeria compsilurae* (Cwfd.). Phillip B. Dowden 495–523

Hardwood, infestation by blue-stain fungi, study 794–795
Harmolita tritici—
cause of wheat-stem galls 359
oviposition, description 360–369
See also Wheat jointworm.
Harmonema pullulans, cultural characteristics 805
HARTER, L. L.: ANDRUS, C. F.; and ZAUMEYER, W. J.: Studies on Bean Rust Caused by *Uromyces phascoli typica* 737–759
Hay, alfalfa, constituents, microbiological decomposition. Max Phillips, M. J. Goss, E. A. Beavens, and L. H. James 761–775
HEAP, M. E.; MACLEOD, F. L.; ARMSTRONG, M. R.; and TOLBERT, L. A.: The Vitamin A Content of Five Varieties of Sweetpotato 181–187
Helminthosporium—
geniculatum, cultural characteristics 805
oryzae—
cause of leaf spot of rice 81
infection of rice leaves, histological study. E. C. Tullis 81–90
Hens—
egg laying, correlation studies 573–588
See also Pullets.
Hicoria pecan. *See* Pecan.
HODGSON, R. E.: KNOTT, J. C.; GRAVES, R. R.; and MURER, H. K.: Effect of Temperature of Artificial Drying on Digestibility and Availability of Nutrients in Pasture Herbage 149–164
Holcus sorghum var. *saccharatus*. *See* Sorgo.
Humidity, effect on—
infection and decay of sweetpotatoes, studies 285–327
viability of stored cottonseed, study 449–456
HURD-KARRER, ANNIE M.: Factors Affecting the Absorption of Selenium from Soils by Plants 413–427

Hybrids, sugarcane × sorgo, morphological characters, comparative studies. B. A. Bourne 539–552
Hydrogen-ion concentration, effect on curly-top virus, experiments 229–230, 237

Ignition, spontaneous, in alfalfa hay, studies 761–773
Inheritance of cold resistance in winter wheat, with preliminary studies on technic of artificial freezing tests. W. W. Worzella 625–635
Intestine, small, of rat, muscular reaction to gossypol. L. A. Moore 899–909
Irrigation—
sugar beets, effect of variations in stand on yield and quality. H. E. Brewbaker and G. W. Deming 195–210
water, boron content, injury to fruit, study 189–193

JACOB, K. D.; BARTHOLOMEW, R. P.; BROWN, B. E.; PIERRE, W. H.; REID, F. R.; and TIDMORE, J. W.: Nutrient Value of the Phosphorus in Calcined Phosphate as Determined by Growth of Plants in Greenhouse Experiments 837–848
JAMES, L. H.; PHILLIPS, MAX; GOSS, M. J.; and BEAVENS, E. A.: The Microbiological Decomposition of the Constituents of Alfalfa Hay 761–775
Java black rot, of sweetpotatoes, factors affecting 306–316, 325–327
JOHNSON, D. W., and PALMER, L. S.: Ergot as a Factor in the Nutritive Value of Rye for Rats and Swine 39–45
JOHNSON, I. J., and CHRISTENSEN, J. J.: Field Reactions of Varieties and Selfed Lines of Corn to Different Collections of *Ustilago zeae* 47–57
JULL, MORLEY A.; KNOX, CHARLES W.; and QUINN, JOSEPH P.: Correlation Studies of Egg Production and Possible Genetic Interpretations 573–589

KAHLENBERG, O. J.; BRAMAN, WINFRED W.; BLACK, ALEX; VORIS, LEROY; SWIFT, R. W.; and FORBES, E. B.: The Utilization of Energy-Producing Nutriment and Protein in White and Yellow Corn and in Diets Deficient in Vitamins A, D, and G 1–37
KESSELS, I. T.; CRESSMAN, A. W.; BLISS, C. I.; and DUMESTRE, J. O.: Biology of the Camphor Scale and a Method for Predicting the Time of Appearance of Stages in the Field 267–283
KNOTT, J. C.; HODGSON, R. E.; GRAVES, R. R.; and MURER, H. K.: Effect of Temperature of Artificial Drying on Digestibility and Availability of Nutrients in Pasture Herbage 149–164
KNOX, CHARLES W.; JULL, MORLEY A.; and QUINN, JOSEPH P.: Correlation Studies of Egg Production and Possible Genetic Interpretations 573–589

LANDIS, B. J., and PLUMMER, C. C.: The Mexican Bean Beetle in Mexico 989–1001
LAURITZEN, J. I.: Factors Affecting Infection and Decay of Sweetpotatoes by Certain Storage Rot Fungi 285–329

Leaf area, rapid measurement, photoelectric device for. Robert B. Withrow — Page 637–643
Legumes, growth on grazed and ungrazed area — 815–816
Lemon leaves, boron injury, histological study — 189–190, 192–193
Leptographium microsporum, n. sp., description — 805
LEWIS, M. R.; ALDRICH, W. W.; and WORK, R. A.: Pear Root Concentration in Relation to Soil-Moisture Extraction in Heavy Clay Soil — 975–988
LEXEN, B. R.: Some Factors Influencing the Yield and Mortality of Ponderosa Pine in the Southwest — 777–787
Light, effect on—
development of uredial stage of *Puccinia graminis*. Leonard W. Melander — 861–880
infection of beans with rust, experiments — 745
Lignin, role in spontaneous ignition of hay — 772–773
Logs, infestation and staining by fungi, including five new species, in Southern States. Ross W. Davidson — 789–807
LONGLEY, A. E., and COLLINS, G. N.: A Tetraploid Hybrid of Maize and Perennial Teosinte — 123–133
Lumber, infestation and staining by fungi, including five new species in Southern States. Ross W. Davidson — 789–807

MACLEOD, F. L.; ARMSTRONG, M. R.; HEAP, M. E.; and TOLBERT, L. A.: The Vitamin A Content of Five Varieties of Sweetpotato — 181–187
Magnesium deficiency, effect on crop plants. A. B. Beaumont and M. E. Snell — 553–562
Maize—
and perennial teosinte, tetraploid hybrid of. G. N. Collins and A. E. Longley — 123–133
teosinte—
homologous chromosomes, synaptic attraction — 123–133
hybrid—
autosyndesis, measures of progeny, coefficient of autosyndesis in, studies — 124–125, 129–131
tetraploid hybrid, description and progeny — 125–127
tetraploid—
and diploid intercrosses — 596–603
appearance and breeding behavior — 591–595
chromosome behavior — 603–604
comparison with diploid — 591–605
cytogenetics. L. F. Randolph — 591–605
hybrids, studies — 123–133, 591–603
See also Corn.
Mangels, chlorosis caused by magnesium deficiency, study — 554, 555, 558
Manure, decomposition rate in Norfolk sand, experiments — 717–729
Medicago sativa. *See* Alfalfa.
MELANDER, LEONARD W.: Effect of Temperature and Light on Development of the Uredial Stage of *Puccinia graminis* — 861–880
Metabolism, pigs, effect of ground and whole corn on, comparative tests — 731–735
Mexican bean beetle. *See* Bean beetle, Mexican.
Mexico City, climate, relation to Mexican bean beetle infestations — 994–995
Mexico, Mexican bean beetle in. B. J. Landis and C. C. Plummer — Page 989–1001
Micro-organisms, relation to decomposition of constituents of alfalfa hay — 761–775
Millet—
absorption of selenium from soils, factors affecting — 413–415
growth, relation to nutrient value of phosphorus on, greenhouse experiments — 841–846
MITCHELL, H. H., and GARRIGUS, W. P.: The Effect of Grinding on the Digestibility of Corn by Pigs and on Its Content of Metabolizable Energy — 731–735
MOON, HUBERT H.: CULPEPPER, CHARLES W.; and CALDWELL, JOSEPH S.: A Physiological Study of Development and Ripening in the Strawberry — 645–696
MOORE, L. A.: Effect of Gossypol upon the Muscle of the Small Intestine of the Rat — 899–909
Mormoniella vitripennis, parasitism on blowfly pupae — 481, 491–492
MUREB, H. K.; HODGSON, R. E.; KNOTT, J. C.; and GRAVES, R. R.: Effect of Temperature of Artificial Drying on Digestibility and Availability of Nutrients in Pasture Herbage — 149–164
MURPHY, H. C.: Effect of Crown Rust Infection on Yield and Water Requirement of Oats — 387–411
Muscle, intestinal, of rat, effect of gossypol upon. L. A. Moore — 899–909
Mustard, absorption of selenium from soils, factors affecting — 415

Natal grass, decomposition rate in Norfolk sand, experiments — 717–729
NEAL, W. M.; BECKER, R. B.; ARNOLD, P. T. DIX; and SUBALY, A. L.: A Study of the Palatability and Possible Toxicity of 11 Species of *Crotalaria*, Especially of *C. spectabilis* Roth — 911–922
NEDVIDEK, R. D.; SINCLAIR, W. B.; and BARTHOLOMEW, E. T.: The Isolation and Distribution of Nitrogen in Dilute Alkali-Soluble Proteins of Healthy Valencia and Washington Navel Orange Fruits — 173–180
NELSON, J. W., and PALMER, L. S.: The Phosphorus Content and Requirements of the Flour Beetle *Tribolium confusum* Duval, and a Study of Its Need for Vitamin D — 849–852
Nematode, infestation of chickens, study — 607–622
NESTLER, RALPH B.; DEVANEY, GRACE M.; and TITUS, HARRY W.: Vitamin A Content of Eggs Produced by Chickens Fed Viosterol and Various Percentages of Cod-Liver Oil — 853–860
Nitrates—
accumulation in Norfolk sand, effect of soil treatments on — 725–729
formation, effect on rate of decomposition of organic matter in Norfolk sand. Charles E. Bell — 717–730
Nitrogen, isolation and distribution of in dilute alkali-soluble proteins of healthy Valencia and Washington navel orange fruits. W. B. Sinclair, E. T. Bartholomew, and R. D. Nedvidek — 173–180
Norfolk sand, organic matter in, decomposition rate as measured by the formation of carbon dioxide and nitrates. Charles E. Bell — 717–730

Page

Nutrients, in pasture herbage, digestibility and availability of, effect of temperature of artificial drying on. R. E. Hodgson, J. C. Knott, R. R. Graves, and H. K. Murer 149–164
Nutrition, swine, effect of rye containing ergot. D. W. Johnson and L. S. Palmer 39–45

Oat stem rust, development studies 861–879
Oats—
composition, effect of fertilizers, soil type, and certain climatic factors on. G. O. Baker and S. C. Vandecaveye 961–974
crown-rust infection, effect on yield and water requirement. H. C. Murphy 387–411
field-grown, yield, effect of crown-rust infection on, experiments 388–391
greenhouse-grown, water requirement and yield, effect of crown-rust on 391–405
water requirement, effect of crown-rust infection on. H. C. Murphy 387–411
yield, effect of—
crown-rust infection on. H. C. Murphy 387–411
fertilizers, soil type, and certain climatic factors on. G. O. Baker and S. C. Vandecaveye 961–974
Orange fruits, healthy Valencia and Washington navel, isolation and distribution of nitrogen in dilute alkali-soluble proteins of. W. B. Sinclair, E. T. Bartholomew, and R. D. Nedvidek 173–180
Oranges, protein, nitrogen in, isolation and distribution, studies 173–179
Orchard grass, yield and chemical composition 712–715
Osburn, O. L.; Stritar, J.; and Werkman, C. H.: The Thermophilic Fermentation of Beet Pulp 165–172
Ovaries, development in calves. L. E. Casida, A. B. Chapman, and I. W. Rupel 953–960

Palmer, L. S., and—
Johnson, D. W.: Ergot as a Factor in the Nutritive Value of Rye for Rats and Swine 39–45
Nelson, J. W.: The Phosphorus Content and Requirements of the Flour Beetle *Tribolium confusum* Duval, and a Study of Its Need for Vitamin D 849–852
Parasites of blowflies in North America. R. A. Roberts 479–494
Pasture herbage, nutrients in, digestibility and availability of, effect of temperature of artificial drying on. R. E. Hodgson, J. C. Knott, R. R. Graves, and H. K. Murer 149–164
Peach stems, boron injury, histological study 189–190, 191–193
Pear—
root concentration, relation to soil-moisture extraction in heavy clay soil. W. W. Aldrich, R. A. Work, and M. R. Lewis 975–988
roots—
distribution, relation to soil-moisture extraction, experiments 979–986
extraction of soil moisture, relation to depth, experiments 975–979

Pecan— Page
composition during fruit development, seasonal changes in, physiological study. Clifford J. B. Thor and Charles L. Smith 97–121
foliage, vein spot disease of fungus causing, perfect stage, *Gnomonia nervisceda*. J. R. Cole 91–96
fruit—
ash content, changes, analytical data 101, 104–106, 116, 117
development, seasonal changes in composition, physiological study. Clifford J. B. Thor and Charles L. Smith 97–121
dry matter content, determination 100, 102–104, 116, 117
nitrogen content, changes, analytical data 101, 106–108, 116–118
oil content, changes, analytical data 101, 107, 110, 117, 118
polysaccharide content, changes, analytical data 101, 113–115, 117
protein content, discussion 117, 118
sugar content, changes, analytical data 101, 108–115, 117, 118
leaves, inoculation with conidia and ascospores of vein spot fungus 94
vein spot—
disease, symptoms 91–92
pathogene, stages, description, and pathogenicity 92–96
Pecans, infection with *Gnomonia nervisceda*, description 91–92
Penicillium, infection of sweetpotatoes, factors affecting 298–301, 304–306, 326, 327
Phillips, Max; Goss, M. J.; Beavens, E. A.; and James, L. H.: The Microbiological Decomposition of the Constituents of Alfalfa Hay 761–775
Phillips, W. J., and Dicke, F. F.: Morphology and Biology of the Wheat Jointworm Gall 359–386
Phosphate, calcined, nutrient value—
of phosphorus in as determined by growth of plants in greenhouse experiments. K. D. Jacob, R. P. Bartholomew, B. E. Brown, W. H. Pierre, F. R. Reid, and J. W. Tidmore 837–848
relation to volatilization of fluorine, comparison 845–846
Phosphates—
effect on dry weight and phosphorous content of plants, studies 841–843
efficiencies and availability, comparative data 844–845
Phosphorus—
nutrient value of, in calcined phosphate as determined by growth of plants in greenhouse experiments. K. D. Jacob, R. P. Bartholomew, B. E. Brown, W. H. Pierre, F. R. Reid, and J. W. Tidmore 837–848
requirements of *Tribolium confusum*, study 849–852
Photoelectric device for the rapid measurement of leaf area. Robert B. Withrow 637–643
Phytomonas—
beticola, cause of—
bacterial pocket rot of sugar beets, physiological studies 933–951
beet galls, physiological studies 933–951

Phytomonas—Continued. Page
savastanoi—
cause of olive galls, physiological studies 933–951
var. *nerii*, cause of oleander galls, physiological studies 933–951
tumefaciens, cause of crown galls of plants, physiological studies 933–951

PIERRE, W. H.; JACOB, K. D.; BARTHOLOMEW, R. P.; BROWN, B. E.; REID, F. R.; and TIDMORE, J. W.: Nutrient Value of the Phosphorus in Calcined Phosphate as Determined by Growth of Plants in Greenhouse Experiments 837–848

Pigs—
feeding ground corn, experiments 731–735
inoculation with anti-swine-erysipelas serum, results 75–76
See also Swine.

PINCKARD, J. A.: Physiological Studies of Several Pathogenic Bacteria That Induce Cell Stimulation in Plants 933–952

Pine—
lumber, blue-stain in, investigations 789, 790–795
poderosa, mortality—analysis 783–787
and yield in Southwest, factors influencing. B. R. Lexen 777–787
soils, organic matter and other constituents of, effect of annual grass fires on. S. W. Greene 809–822
Pinus ponderosa. *See* Pine, ponderosa.

Plant growth, relation to nutrient value of phosphorus in calcined phosphate, greenhouse experiments. K. D. Jacob, R. P. Bartholomew, B. E. Brown, W. H. Pierre, F. R. Reid, and J. W. Tidmore 837–848

Plants—
absorption of selenium from soils, factors affecting. Annie M. Hurd-Karrer 413–427
cell stimulation in, induced by pathogenic bacteria, physiological studies. J. A. Pinckard 933–952
chemical composition, effect of magnesium deficiency on 560–561
chlorosis caused by magnesium deficiency, studies 553–561
crop, effect of magnesium deficiency on. A. B. Beaumont and M. E. Snell 553–562
grown in toxic concentrations of boron, histological characteristics. Irma E. Webber 189–194
weight and phosphorous content, effect of phosphates on, studies 841–843

PLUMMER, C. C., and LANDIS, B. J.: The Mexican Bean Beetle in Mexico 989–1001

Porthetria dispar. *See* Gypsy moth.

PRATT, I.; ACKERT, J. E.; EISENBRANDT, L. L.; WILMOTH, J. H.; and GLADING, B.: Comparative Resistance of Five Breeds of Chickens to the Nematode *Ascaridia lineata* (Schneider) 607–624

Protein in oranges—
isolation method 174–175
nitrogen distribution 175–176

Proteins, dilute alkali-soluble, of healthy Valencia and Washington navel orange fruits, isolation and distribution of nitrogen in. W. B. Sinclair, E. T. Bartholomew, and R. D. Nedvidek 173–180

Prune trees, boron injury, histological study Page 189–193

Pseudaonidia duplex. *See* Camphor scale.

Psilodora sp., distribution, habits, development, and hosts 485–487

Puccinia—
coronata avenae, infection, effect on yield and water requirement of oats 387–411
graminis, uredial stage, development, effect of temperature and light on. Leonard W. Melander 861–880

Pullets—
broodiness, relation to egg production 585–586
egg laying, correlation studies 573–588
sexual maturity, relation to egg production 578–579

QUINN, JOSEPH P.; KNOX, CHARLES W.; and JULL, MORLEY A.: Correlation Studies of Egg Production and Possible Genetic Interpretations 573–589

RANDOLPH, L. F.: Cytogenetics of Tetraploid Maize 591–605

RAPER, KENNETH B.: *Dictyostelium discoideum*, a New Species of Slime Mold from Decaying Forest Leaves 135–147

Raspberry cane gall, physiological studies 933–951

Rat, intestinal muscle of, effect of gossypol upon. L. A. Moore 899–909

Rations, corn, energy, and protein utilization by rats, experiments 1–36

Rats—
feeding rye containing ergot, effect, experiments. D. W. Johnson and L. S. Palmer 39–45
growth, effect of ergot upon, experiments 39–40, 41–42
utilization of energy-producing nutriment and protein in white and yellow corn, experiments 1–36

Redtop, yield and chemical composition, experiments 712–715

Regression coefficients, partial, calculation method 68–69

REID, F. R.; JACOB, K. D.; BARTHOLOMEW, R. P.; BROWN, B. E.; PIERRE, W. H.; and TIDMORE, J. W.: Nutrient Value of the Phosphorus in Calcined Phosphate as Determined by Growth of Plants in Greenhouse Experiments 837–848

Rhizopus—
infection and decay of sweetpotatoes, factors affecting 285, 287–298, 324–327
soft rot, of sweetpotatoes, factors affecting, studies 285, 287–298, 324–327

Rice leaves—
anatomy 83–89
infection with *Helminthosporium oryzae*, histological studies. E. C. Tullis 81–90

Rickets, in rats, effects of white and yellow corn, experiments 19–21, 24

ROBERTS, R. A.: Some North American Parasites of Blowflies 479–494

Rotenone—
compounds, toxicity—
effect of changes in constitution on 897
new criterion for comparison with respect to concentration and time. W. H. Gersdorff 881–888

Page

Rotenone—Continued.
derivatives, constitution and toxicity, quantitative relationship between. W. A. Gersdorff ---- 893–898
toxicity, comparison, new criterion for with respect to concentration and time. W. A. Gersdorff ---- 881–891
RUPEL, I. W.; CASIDA, L. E.; and CHAPMAN, A. B.: Ovarian Development in Calves ---- 953–960
Rye—
infected with ergot, nutritive value for rats and swine. D. W. Johnson and L. S. Palmer ---- 39–45
stem rust, development, studies ---- 861–879
Ryegrass, nutrients, digestibility and availability, effect of artifical drying on ---- 150–163

Sand, Norfolk, decomposition rate of organic matter in, as measured by formation of carbon dioxide and nitrates. Charles E. Bell ---- 717–739
Scale, camphor. *See* Camphor scale.
SCHOENING, H. W., and CREECH, G. T.: Serological Studies of Swine Erysipelas with Particular Reference to Agglutination ---- 71–79
Sclerotium bataticola, infection of sweetpotatoes, factors affecting ---- 316–327
Scolytus—
beetles, carriers of *Trichosporium symbioticum* ---- 531–532
ventralis, association with *Trichosporium symbioticum*, n. sp., wood-staining fungus. Ernest Wright ---- 525–538
Selenium—
absorption from soils by plants, factors affecting. Annie M. Hurd-Karrer ---- 413–423
toxicity to wheat plants, factors affecting ---- 413–426
SHEALY, A. L.; BECKER, R. B.; NEAL, W. M.; and ARNOLD, P. T. DIX: A Study of the Palatability and Possible Toxicity of 11 Species of *Crotalaria*, Especially of *C. spectabilis* Roth ---- 911–922
SIMPSON, D. M.—
Dormancy and Maturity of Cottonseed ---- 429–434
Relation of Moisture Content and Method of Storage to Deterioration of Stored Cottonseed ---- 449–456
and STONE, B. M.: Viability of Cottonseed as Affected by Field Conditions ---- 435–447
SINCLAIR, W. B.; BARTHOLOMEW, E. T.; and NEDVIDEK, R. D.: The Isolation and Distribution of Nitrogen in Dilute Alkali-Soluble Proteins of Healthy Valencia and Washington Navel Orange Fruits ---- 173–180
Slime mold, *Dictyostelium discoideum*, a new species from decaying forest leaves. Kenneth B. Raper ---- 135–147
SMITH, CHARLES L., and THOR, CLIFFORD, J. B.: A Physiological Study of Seasonal Changes in the Composition of the Pecan during Fruit Development ---- 97–121
Smut, reactions of corn to, experiments ---- 47–56
SNELL, M. E., and BEAUMONT, A. B.: The Effect of Magnesium Deficiency on Crop Plants ---- 553–562
Sodium selenate, toxicity to wheat, experiments ---- 415–424

Soil—
clay, heavy, soil-moisture extraction in, relation to pear root concentration. W. W. Aldrich, R. A. Work, and M. R. Lewis ---- 975–988
moisture—
effect on freezing of winter wheat, experiments ---- 629–630
extraction in heavy clay soil, relation to pear root concentration. W. W. Aldrich, R. A. Work, and M. R. Lewis ---- 975–988
sulphur content, effect on absorption of selenium by plants ---- 417–420, 425
types, effect on yield and composition of oats and vetch. G. O. Baker and S. C. Vandecaveye ---- 961–974
Soils—
magnesium-deficient, relation to chlorosis in plants ---- 553–562
selenium content, absorption by plants, factors affecting. Annie M. Hurd-Karrer ---- 413–427
virgin longleaf pine, effect of annual grass fires on organic matter and other constituents. S. W. Greene ---- 809–822
Sorgo—
absorption of selenium from soils, factors affecting ---- 413–415
× sugarcane hybrids, morphological characters, comparative studies. B. A. Bourne ---- 539–552
Southern States, logs and lumber in, fungi including five new species causing stain in. Ross W. Davidson ---- 789–807
Southwest, ponderosa pine, yield and mortality, factors influencing. B. R. Lexen ---- 777–787
Spinach, chlorosis caused by magnesium deficiency, study ---- 555, 557, 558–559
STONE, B. M., and SIMPSON, D. M.: Viability of Cottonseed as Affected by Field Conditions ---- 435–447
Storage rot fungi, infection and decay of sweetpotatoes, factors affecting. J. I. Lauritzen ---- 285–329
Strawberries—
chemical—
composition and resistance to puncture, analyses ---- 650–659
constituents, relation of changes to puncture resistance, studies ---- 664–679
development, physiological changes, tests ---- 660–664
preserving, requirements ---- 688–692
ripening, chemical changes ---- 663–664
Strawberry—
development and ripening, physiological study. Charles W. Culpepper, Joseph S Caldwell, and Hubert H. Moon ---- 645–696
utilization, relation of chemical and physical characters to ---- 687–692
varieties, physiological studies ---- 681–687
STRITAR, J.; OSBURN O. L.; and WERKMAN, C. H.: The Thermophilic Fermentation of Beet Pulp ---- 165–172
STROMAN, G. N.: Procedure for Rapid Calculation of Multiple Correlation Coefficients ---- 59–69
Strophostyles rust, comparison with bean and cowpea rusts ---- 742
Sturmia scutellata, parasitization by *Brachymeria compsilurae* ---- 517–518, 520
Sudan grass, growth, relation to nutrient value of phosphorus on, greenhouse experiments ---- 841–846

Sugar-beet leaf hopper, agent in spread of curly top virus, study 212–213, 219–222

Sugar beets—
- bacterial pocket rot, causal organism, studies 933–951
- sources of curly top virus, studies 212–217
- stand variations, effect on yield and quality under irrigation. H. E. Brewbaker and G. W. Deming 195–210

Sugarcane × sorgo hybrids, morphological characters, comparative study. B. A. Bourne 539–552

Sulphur content of soil, effect on absorption of selenium by plants 417–420, 425

Surface rot of sweetpotatoes, factors affecting 301–303, 324–327

Sweetpotato, five varieties of, vitamin A content. F. L. MacLeod, M. R. Armstrong, M. E. Heap, and L. A. Tolbert 181–187

Sweetpotatoes—
- infection and decay by certain storage rot fungi, factors affecting. J. I. Lauritzen 285–329
- storage—
  - effect on vitamin A content, experiments 181–186
  - rots, factors affecting 285–329
- vitamin A content of five varieties. F. L. MacLeod, M. R. Armstrong, M. E. Heap, and L. A. Tolbert 181–187

SWIFT, R. W.; BRAMAN, WINFRED W.; BLACK, ALEX; KAHLENBERG, O. J.; VORIS, LEROY; and FORBES, E. B.: The Utilization of Energy-Producing Nutriment and Protein in White and Yellow Corn and in Diets Deficient in Vitamins A, D, and G 1–37

Swine—
- erysipelas, serological studies with particular reference to agglutination. H. W. Schoening and G. T. Creech 71–79
- feed consumption, effect of ergot upon, experiments 43–44
- feeding rye containing ergot, experiments. D. W. Johnson and L. S. Palmer 39–45
- growth, effect of ergot upon, experiments 42–43
- infection with *Erysipelothrix rhusiopathiae*, experiments 71–74

Temperature—
- effect on—
  - activity of curly top virus, experiments 226–229
  - development of uredial stage of *Puccinia graminis*. Leonard W. Melander 861–880
  - infection and decay of sweetpotatoes, studies 285–327
  - Mexican bean beetle in Mexico 994–995
  - productivity of camphor scale, study 246–247
  - settling of camphor scale, study 260–262
- of artificial drying, effects on digestibility and availability of nutrients in pasture herbage. R. E. Hodgson, J. C. Knott, R. R. Graves, and H. K. Murer 149–164
- winter, effect on bud sports of Montmorency cherry 465–469

Temperatures, low, injury to flower buds of Montmorency cherry. V. R. Gardner 563–572

Teosinte, perennial and maize, tetraploid hybrid of. G. N. Collins and A. E. Longley 123–133

Tetraploid hybrid of maize and perennial teosinte. G. N. Collins and A. E. Longley 123–133

Tetraploidy, study in maize hybrids 123–133, 596–603

THOR, CLIFFORD J. B., and SMITH CHARLES L.: A Physiological Study of Seasonal Changes in the Composition of the Pecan during Fruit Development 97–121

TIDMORE, J. W.; JACOB, K. D.; BARTHOLOMEW, R. P.; BROWN, B. E.; PIERRE, W. H.; and REID, F. R.: Nutrient Value of the Phosphorus in Calcined Phosphate as Determined by Growth of Plants in Greenhouse Experiments 837–848

Timothy—
- stem rust, development, studies 861–879
- yield and chemical composition 712–715

TITUS, HARRY W.; DEVANEY, GRACE M.; and NESTLER, RALPH B.: Vitamin A Content of Eggs Produced by Chickens Fed Viosterol and Various Percentages of Cod-Liver Oil 853–860

Tobacco, chlorosis caused by magnesium deficiency, study 558, 562

TOLBERT, L. A.; MACLEOD, F. L.; ARMSTRONG, M. R.; and HEAP, M. E.; The Vitamin A Content of Five Varieties of Sweetpotato 181–187

Toxicity, rotenone, new criterion for comparison with respect to concentration and time. W. A. Gersdorff 881–891

Tribolium confusum Duval, vitamin D needs, and phosphorus content and requirements, study. J. W. Nelson and L. S. Palmer 849–852

Tricholaena rosea, decomposition rate in Norfolk sand, experiments 717–729

Trichopria hirticollis, parasitism on blowfly pupae 481, 491

Trichosporium symbioticum, n. sp.—
- association with *Scolytus ventralis*. Ernest Wright 525–538
- cultural characteristics and morphology 527–529
- moisture relationship tests 536–537
- occurrence and dissemination by *Scolytus ventralis* 529–532
- pathogenicity tests 532–536
- technical description 527

TULLIS, E. C.: Histological Studies of Rice Leaves Infected with *Helminthosporium oryzae* 81–90

Turnips, chlorosis caused by magnesium deficiency, study 554, 555, 558

Uromyces phascoli—typica—
- cause of bean rust, studies. L. L. Harter, C. F. Andrus, and W. J. Zaumeyer 737–759
- development, environmental factors 742–745
- spore forms, studies 738–742

See also Bean rust.

vignae, comparison with *Uromyces phascoli typica* 741–742

Ustilago zeae collections, field reaction of varieties and selfed lines of corn to. J. J. Christensen and I. J. Johnson 47–57

VANDECAVEYE, S. C., and BAKER, G. O.: Effect of Fertilizers, Soil Type, and Certain Climatic Factors on the Yield and Composition of Oats and Vetch---- Page 961–974

Vegetables, chlorosis caused by magnesium deficiency, studies-- 554–561

Vein spot disease of pecan foliage, fungus causing, perfect stage of, *Gnomonia nerviseda*. J. R. Cole---- 91–96

Vetch, composition and yields, effect of fertilizers, soil type, and certain climatic factors on. G. O. Baker and S. C. Vandecaveye---- 961–974

Vigna sinensis. *See* Cowpea.

Viosterol, feeding to chickens, effect on vitamin A content of eggs. Grace M. DeVaney, Harry W. Titus, and Ralph B. Nestler-- 853–860

Vitamin—
- A—
  - content of—
    - eggs, production by feeding chickens viosterol and percentages of cod-liver oil. Grace M. DeVaney, Harry W. Titus, and Ralph B. Nestler---- 853–860
    - five varieties of sweetpotato. F. L. MacLeod, M. R. Armstrong, M. E. Heap, and L. A. Tolbert- 181–187
  - deficiency in corn, experiments with rats---- 2–6, 13–1[illegible]
- D—
  - deficiency in corn, experiments with rats---- 19–26
  - requirements of *Tribolium confusum*, study---- 849–852
- G, deficiency in corn, experiments with rats---- 26–

VORIS, LEROY; BRAMAN, WINFRED W.; BLACK, ALEX; KAHLENBERG, O. J.; SWIFT, R. W.; and FORBES, E. B.: The Utilization of Energy-Producing Nutriment and Protein in White and Yellow Corn and in Diets Deficient in Vitamins A, D, and G---- 1–37

WALKER, J. C., and ANDERSON, M. E.: Histological Studies of Wisconsin Hollander and Wisconsin Ballhead Cabbage in Relation to Resistance to Yellows- 823–836

Weather—
- data at Acclimatization Field Station, 1931–33---- 436–437
- factor in germination of cottonseed---- 435–446

WEBBER, IRMA E.: Histological Characteristics of Plants Grown in Toxic Concentrations of Boron---- 189–194

WERKMAN, C. H.; OSBURN, O. L.; and STRITAR, J.: The Thermophilic Fermentation of Beet Pulp---- 165–172

Wheat—
- freezing tests, artificial, technic- 627–632
- grain yield among 1,500 nursery plots, variation and correlation. Gustav A. Wiebe--- 331–357
- jointworm—
  - control, recommendation- 367–368, 384
  - gall—
    - microchemical tests and tissue zones, studies---- 377–379
    - morphology and biology. W. J. Phillips and F. F. Dicke---- 359–386
    - seasonal history---- 369–377
    - stimulus, investigations---- 379–383
  - See also *Harmolita tritici*.
- nursery plots, 1,500, variation and correlation in grain yield. Gustav A. Wiebe---- 331–357
- plants, absorption of selenium from soils, factors affecting-- 413–426
- seedlings, age, effect on cold resistance---- 629
- stem—
  - gall. *See* Wheat jointworm gall.
  - rust, development, studies---- 861–879
- winter—
  - cold-resistance inheritance, with preliminary studies on technic of artificial freezing tests. W. W. Worzella- 625–635
  - hardening against freezing, experiments---- 628

WIEBE, GUSTAV A.: Variation and Correlation in Grain Yield among 1,500 Wheat Nursery Plots---- 331–357

WILMOTH, J. H.; ACKERT, J. E.; EISENBRANDT, L. L.; GLADING, B.; and PRATT, I.: Comparative Resistance of Five Breeds of Chickens to the Nematode *Ascaridia lineata* (Schneider)---- 607–624

WITHROW, ROBERT B.: A Photoelectric Device for the Rapid Measurement of Leaf Area---- 637–643

Wood-staining—
- fungi occurring in Southern States, study---- 789–806
- fungus, *Trichosporium symbioticum*, n. sp., associated with *Scolytus ventralis*. Ernest Wright---- 525–538

WORK, R. A.; ALDRICH, W. W.; and LEWIS, M. R.: Pear Root Concentration in Relation to Soil-Moisture Extraction in Heavy Clay Soil---- 975–988

WORZELLA, W. W.: Inheritance of Cold Resistance in Winter Wheat, with Preliminary Studies on the Technic of Artificial Freezing Tests---- 625–635

WRIGHT, ERNEST: *Trichosporium symbioticum*, N. Sp., Wood-Staining Fungus Associated with *Scolytus ventralis*---- 525–538

Xyalosema—
- *armata*, distribution and habits---- 487–488
- sp., distribution and habits---- 488–489

Yellows in cabbage, resistance of Wisconsin Hollander and Wisconsin Ballhead varieties, histological studies. M. E. Anderson and J. C. Walker---- 823–836

ZAUMEYER, W. J.; HARTER, L. L.; and ANDRUS, C. F.: Studies on Bean Rust Caused by *Uromyces phaseoli typica*---- 737–759

Zea mays. *See* Corn; Maize.